

MINUTES

Members Present: S. Accorsi, Z. Anglin (6:01 p.m.), B. Chandy, K. Fratoni, K. Rawn, V. Ward, C. Wutsch

Members Absent: P. Aho, J. DeVivo

Alternates Present: A. Marcellino, J. Walters, R. Zaicek

Alternates Absent:

Staff Present: J. Kaufman Director of Planning and Development;
J. Woodmansee, Assistant Director of Planning and Development
M. Stankov, Environmental Planner/Inland Wetlands Agent

1. CALL TO ORDER AND ROLL CALL

Chandy called the meeting to order at 6:00 p.m. Members present are Accorsi, Chandy, Fratoni, Rawn, Ward, Wutsch and, Alternates Marcellino, Walters, and Zaicek. All three Alternates were seated for absent members.

2. CONSENT AGENDA

A. Approval of Minutes

Rawn MOVED, Ward seconded, to approve the Consent Agenda as presented.

Motion PASSED unanimously.

Motion passed by consent;

- Move, to approve the 1/21/2025 IWA meeting minutes.

3. COMMUNICATIONS

A. Conservation Commission

B. Inland Wetlands Agent Monthly Report

4. OLD BUSINESS

5 NEW BUSINESS

- A. **W1641 Application of the Town of Mansfield, Department of Public Works, for Replacement of Bridge over Fenton River on Gurleyville Road (IWA File #1641)**
M. Stankov provided a brief overview of the application for the Applicant.

Commission members asked questions in regard to:
Project length of time, traffic detour

Ward MOVED, Rawn seconded, to receive application W1641 of the Town of Mansfield, Department of Public Works for Bridge Replacement on Gurleyville Road. As the as the proposed work may have a significant impact on wetlands, schedule a public hearing for 6:05 p.m. on Monday, March 2, 2026, in the Council Chambers of the Audrey P. Beck Municipal Building, 4 South Eagleville Road, Mansfield, CT, and refer the application to the Conservation Commission for review and comment.

Motion PASSED unanimously.

6. OTHER COMMUNICATIONS AND BILLS

7. REPORTS FROM OFFICERS AND COMMITTEES

8. ADJOURNMENT

Chandy adjourned the meeting at 6:07 p.m.

Respectfully submitted,

Michael Stankov
Inland Wetlands Agent